

Mixer Accessories

CP8000UL

Remote Control for Volume and Source Selection

- Wall plate remote control for DM8000
- Volume control may be assigned to either auxiliary input section or main mix bus
- Selection of auxiliary inputs 1-6
- All Illuminated, soft touch controls powered remotely from DM8000
- Use CAT5/6 or any 5 conductor cable for connection distances up to 300 feet (100 m)
- Compact, single gang format allows use with low voltage trim rings and most standard depth enclosures
- Generous space provided for input labeling
- Discrete appearance matches any decor
- 10-Year Warranty Program*
- Designed and engineered in the U.K.



When used in conjunction with the **DM8000** Digital Audio Processor, the CP8000UL provides easy control over volume and selection for up to 6 auxiliary inputs. All of the illuminated soft-touch controls receive power directly from the **DM8000** via CAT5/6 or any 5-conductor cable. The CP8000UL fits most standard-depth installation enclosures and its elegant design blends easily with any décor.



Easy to Operate

CP8000UL provides the ideal remote control center for a wide range of audio applications, allowing the user to affect fast and easy input selection from up to 6 auxiliary sources, and adjust the selection's volume level. For added versatility, the Volume control may be assigned to either the auxiliary input section or main mix bus. CP8000UL's soft-touch illuminated controls do not require external power, as the operating voltage is supplied directly from the **DM8000**.

Mixer Accessories

CP8000UL

Remote Control for Volume and Source Selection

Economical Installation

The CP8000UL installs into most standard depth enclosures with just two screws beneath the front plate. Simply remove the front panel, connect the cabling and fasten the main unit into the enclosure with the provided mounting screws. When securely installed, replace the front panel. Designed to fit into even sophisticated environments, the compact, single gang format allows use with low voltage trim rings. Inexpensive CAT5/6 or any 5 conductor cable can provide connection for distances of up to 300 feet (100 m).

300'
100 m



Convenient Labeling

A generous space is provided by each soft-touch button to note the name of the assigned audio source. You may either write directly onto the surface, or apply sticky labels.

You Are Covered

We always strive to provide the best possible Customer Experience. Our products are made in our own MUSIC Tribe factory using state-of-the-art automation, enhanced production workflows and quality assurance labs with the most sophisticated test equipment available in the world. As a result, we have one of the lowest product failure rates in the industry, and we confidently back it up with a generous Warranty program.



Mixer Accessories

CP8000UL

Remote Control for Volume and
Source Selection



Mixer Accessories

CP8000UL

Remote Control for Volume and
Source Selection



For service, support or more information contact the KLARKTEKNIK location nearest you:

Europe
MUSIC Tribe Brands UK Ltd.
Tel: +44156 273 2290
Email: CARECrea@music-group.com
CAREnte@music-group.com
CARELife@music-group.com

USA/Canada
MUSIC Tribe Commercial NV Inc.
Tel: +1 702.800 8290
Email: CARECrea@music-group.com
CAREnte@music-group.com
CARELife@music-group.com

Japan
MUSIC Tribe Services JP K.K.
Tel: +81 3 6231 0453
Email: CARECrea@music-group.com
CAREnte@music-group.com
CARELife@music-group.com

MUSIC Tribe accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph, or statement contained herein. Technical specifications, appearances and other information are subject to change without notice. All trademarks are the property of their respective owners. MIDAS, KLARKTEKNIK, LAB GRUPPEN, LAKE, TANNÖY, TURBOSOUND, TC ELECTRONIC, TC HELICON, BEHRINGER, BUGERA and COOLAUDIO are trademarks or registered trademarks of MUSIC Group IP Ltd. © MUSIC Group IP Ltd. 2018 All rights reserved.

KLARKTEKNIK