

# Safety Cables

REDUNDANT BACKUP SAFETY CABLES

SAFETIES™



Safeties™ are prefabricated consistently at the factory under exacting conditions to make installations quick, safe and secure. Use these cables to secure wall mounted and ceiling mounted objects and equipment to structures to bypass the mounting device.

Safety Cable Kits are produced from load-rated aircraft cable and hardware and come in black, zinc and stainless finishes. The proper method for use is to completely bypass the mounted equipment with a safety cable by securing it to the mounted object and to a structural member and with as little slack as possible.

**CAUTION: DO NOT USE AS A PRIMARY SUSPENSION DEVICE.**

## STANDARD FEATURES:

- ▶ Made from high strength aircraft cable
- ▶ Ends are trimmed for quick attachment
- ▶ Load Rated for predictable installations
- ▶ Closely held length tolerances

## OPTIONAL ACCESSORIES:

- ▶ See Rigging Component datasheet

## SPECIFICATIONS:

**Materials:** See table on next page

**Finish:** Galvanized or Stainless

**Color:** Black, Clear, Zinc or Stainless finish

**Design Factor:** 5:1 ratio (Ultimate yield point)

Custom length safety cables also available.

## PACKAGE CONTENTS:

See table on next page



### Style A

Retaining Washers on Both Sides



### Style B

Finished Ends with Thimbles on Both Sides



### Style C

Loop with Retaining Washer



### Style D

Loop on Both Ends



### Style E

Adjustable Safety Cables



## Adaptive Technologies Group

1635 E. Burnett Street | Signal Hill, CA 90755 USA  
Ph: 562.424.1100 | Fax: 562.424.3520  
www.adaptivetechgroup.com



## ALWAYS INSTALL SAFETY CABLES

**WARNING:** Mounting and/or suspension of audio and video equipment requires experienced professionals. Improperly installed loudspeakers can result in property damage, personal injury and/or liability to the installing contractor.

# Safety Cables

REDUNDANT BACKUP SAFETY CABLES

SAFETIES™

Model #	Length (Loop to Loop) Inches/mm	Indoor	Outdoor	Description QTY & Contents	Material / Color	Light Duty	Med Duty	Static WLL(lbs/kg)	Style
CC-096	8/99	✓		(1) 8 foot stainless wire rope (2) 3/8" Quick Links (1) Clutch lock mechanism (1) Eye nut 3/8"	Black Stainless Steel Black		✓	220/99.8	E
CC-096-S	8/99		✓	(1) 8 foot stainless wire rope (2) pcs Tie wrap 4" long (2) 3/8" Quick Link (1) Clutch lock mechanism (1) Eye nut 3/8"	Silver Galvanized Steel		✓	220/99.8	E
SC-009	9/229	✓		(1) 1/6" 7X7	Silver Galvanized Steel	✓		60/27	D
SC-012	12/305	✓		(1) 3/32" 7X7 (2) retaining washer	Silver Galvanized Steel	✓		100/45	A
SC-012-B	12/305	✓		(1) 3/32" 7X7 (2) retaining washer	Black Stainless Steel	✓		100/45	A
SC-016	16/406	✓		(1) 3/32" 7X7 (2) retaining washer	Silver Galvanized Steel	✓		100/45	A
SC-016-B	16/406	✓		(1) 3/32" 7X7 (2) retaining washer	Black Stainless Steel	✓		100/45	A
SC-025	25/635	✓		(1) 3/32" 7X7 (2) retaining washer	Silver Galvanized Steel	✓		100/45	A
SC-025-B	25/635	✓		(1) 3/32" 7X7 (2) retaining washer	Black Stainless Steel	✓		100/45	A
SC-040	40/1016	✓		(1) 3/32" 7X7 (2) retaining washer	Silver Galvanized Steel	✓		100/45	A
SC-080	80/2032	✓		(1) 3/32" 7X7 (1) 1/4" quick link (2) retaining Washers	Silver Galvanized Steel	✓		100/45	A
SC-154	154/3912	✓		(1) 3/32" 7X7 (1) 1/4" quick link	Silver Galvanized Steel	✓		100/45	D

\* CUSTOM LENGTHS ARE ALSO AVAILABLE

Continued ↓



**Adaptive Technologies Group**  
1635 E. Burnett Street | Signal Hill, CA 90755 USA  
Ph: 562.424.1100 | Fax: 562.424.3520  
www.adaptivetechologiesgroup.com



**ALWAYS INSTALL SAFETY CABLES**

**WARNING:** Mounting and/or suspension of audio and video equipment requires experienced professionals. Improperly installed loudspeakers can result in property damage, personal injury and/or liability to the installing contractor.

# Safety Cables

REDUNDANT BACKUP SAFETY CABLES

SAFETIES™

Model #	Length (Loop to Loop) Inches/mm	Indoor	Outdoor	Description QTY & Contents	Material	Light Duty	Med Duty	Static WLL(lbs/kg)	Style
SC-018	18/457	✓		(1) 3/32" 7X7 (1) retaining washer	Black Stainless Steel	✓		100/45	C
SC-018-BC	18/457	✓		(1) 3/32" 7X7 (1) retaining washer	Black Stainless Steel	✓		100/45	C
SC-024-BC	24/609	✓		(1) 3/32" 7X7 (1) retaining washer	Black Stainless Steel	✓		100/45	C
SC-040-BC	40/1016	✓		(1) 3/32" 7X7 (1) retaining washer	Black Stainless Steel	✓		100/45	C
SC-072-BC	72/1828	✓		(1) 3/32" 7X7 (1) retaining washer	Black Stainless Steel	✓		100/45	C
SC-080-BC	80/2032	✓		(1) 3/32" 7X7 (1) retaining washer	Black Stainless Steel	✓		100/45	C
SC-096-BC	96/2468	✓		(1) 3/32" 7X7 (1) retaining washer	Black Stainless Steel	✓		100/45	C
SC-180	180/4572	✓		(1) 3/32" 7X7 (1) 1/4" quick link (2) retaining Washers	Black Stainless Steel	✓		100/45	C
SC-188-18-SS	18"/450	✓	✓	3/16" Wire Rope 7X19 (2) 1/4" Shackle	Stainless Steel		✓	750/ 340	D
SC-188-24-SS	24"/610	✓	✓	3/16" Wire Rope 7X19 (2) 1/4" Shackle	Stainless Steel		✓	750/ 340	D
SC-188-30-SS	30"/762	✓	✓	3/16" Wire Rope 7X19 (2) 1/4" Shackle	Stainless Steel		✓	750/ 340	D
SC-188-48-SS	48"/1220	✓	✓	3/16" Wire Rope 7X19 (2) 1/4" Shackle	Stainless Steel		✓	750/ 340	D
SC-188-72-SS	72"/1830	✓	✓	3/16" Wire Rope 7X19 (2) 1/4" Shackle	Stainless Steel		✓	750/ 340	D
SC-188-96-SS	96"/2438	✓	✓	3/16" Wire Rope 7X19 (2) 1/4" Shackle	Stainless Steel		✓	750/ 340	D

\* CUSTOM LENGTHS ARE ALSO AVAILABLE



**Adaptive Technologies Group**  
1635 E. Burnett Street | Signal Hill, CA 90755 USA  
Ph: 562.424.1100 | Fax: 562.424.3520  
www.adaptivetechologiesgroup.com



**ALWAYS INSTALL SAFETY CABLES**

**WARNING:** Mounting and/or suspension of audio and video equipment requires experienced professionals. Improperly installed loudspeakers can result in property damage, personal injury and/or liability to the installing contractor.