

YX12C

12-INCH PASSIVE LOUDSPEAKER



Overview

The YX12C delivers outstanding performance in a highly versatile full range loudspeaker. Engineered in North America, the YX12C benefits from Yorkville's forty plus years of PA enclosure design experience in the creation of this compact general-purpose passive loudspeaker enclosure.

Designed with working musicians in mind, the modified trapezoidal shape ensures the YX12C can function equally as well as a front-of-house or monitor speaker.

Features

- 400 Watts (Peak) 200 Watts (Program)
- 12-inch woofer with 1.4-inch voice coil
- 1-inch compression driver
- 90° x 40° HF dispersion
- Dual Bulb CTL™ high frequency driver protection
- Designed for Front-of-House or Monitor applications
- Made in Canada

Specifications

System Type	2-way
Powered or Passive	Passive
Program Power (watts)	400 watts peak 200 watts program
Biampable	No
Nominal Impedance (Ohms)	8
Max SPL (dB)	122dB continuous
Frequency Response (Hz +/- 3dB)	65 - 20k (Hz +/-3dB)
Crossover Frequency (Hz)	1800Hz
LF Driver	12"
HF Driver	1.4" Aluminum (1" Throat)
HF Horn	Injection Molded ABS
HF Dispersion (°H x °V)	90° x 40°
Inputs	2 x Speakon 2 x 1/4"
Bar Handles	2 x Side
Pole Mount Adapter (1 3/8-inch/3.5cm)	1 Bottom
Enclosure Materials	15mm (5/8inch) Plywood
Grille	Powdered Coated Perforated Steel
Covering / Finish	Black Ozite
Dimensions (DWH xbackW, inches)	13.75 x 18 x 25.5 x 8.5
Dimensions (DWH xbackW, cm)	34.9 x 45.7 x 64.8 x 21.6
Weight (lbs/kg)	37 / 16.8
Box Dimensions (LxWxH, inches)	18 x 21 x 26.4
Box Dimensions (LxWxH, cm)	46 x 53 x 67

Specifications subject to change without notice

