ULTIMATE
S U P P O R T ®

2015 Product Catalog

Professional Stands for Musicians Who Care!

The Strength of Innovation

ULTIMATE

Artists

"Ultimate Support stands are just what the doctor ordered! The Ultimate in keyboard, guitar, and mic stands for touring and studio work. Can't do without!"

Doug Sisemore
Music Director, Reba McEntire

The Ultimate Artists Program is comprised of some of the finest professional artists in the music industry. Many of them live in busses that criss-cross the nation several times a year often thousands of miles from their loved ones, eating whatever food they obtain from local diners, drive-throughs and backstage, while never getting enough – or the right kind of – sleep.

All of us from Ultimate Support are proud to be partners in the music lives of these amazing artists. While we can't be there to ensure they always eat their brussel sprouts and get a full eight hours of peaceful sleep, we can guarantee that their stands work as hard as they do, each and every time they step out on stage. Play on!

NEW website!

MEET ULTIMATE ARTISTS!

From industry icons such as Reba McEntire and Train to "off-the-beaten-track" artists such as Weird Al Yankovic and Dirty Loops, more headlining stars use Ultimate Support than any other stand in the business. See all the Ultimate Artists at:

www.ultimatesupport.com/artists

Train
Patrick Monahan
Lead Singer

Reba
Doug Sisemore
Keyboardist

METRIC
Emily Haines
Lead Singer

DARIUS RUCKER
Darius Rucker
Lead Singer

MAT KEARNEY
Mat Kearney
Lead Singer

"WEIRD AL"
Rubén Valtierra
Keyboardist

THE FABULOUS THUNDERBIRDS
Kim Wilson
Lead Singer

KIX BROOKS
Kix Brooks
Lead Singer

HOWARD JONES
Howard Jones
Lead Singer

THIRD DAY
Mac Powell
Lead Singer

the band perry
Kimberly Perry
Lead Singer

SMASH MOUTH
Steve Harwell
Lead Singer

Sugar Ray
Mark McGrath
Lead Singer

Uncle Kracker
Matthew Shafer
Lead Singer

DIRTY LOOPS
Jonah Nilsson
Lead Singer

Buckcherry
The Band
Group

CAGE THE ELEPHANT
Matt Shultz
Lead Singer

Sara Evans
Sara Evans
Lead Singer

MCGRAW
Tim McGraw
Lead Singer

Andy Fletcher
Keyboardist

CLOVERTON
Lance Stafford
Lead Singer

ELI YOUNG BAND
Mike Eli
Lead Singer

KIM THOMPSON
Kim Thompson
Drummer

ULTIMATE SUPPORT™
LIMITED LIFETIME WARRANTY

MEET ULTIMATE ARTISTS!

www.ultimatesupport.com/artists

Get the 411 on Ultimate Artists – why they use Ultimate Support products, which ones they use, where they're touring next, how to connect with them in social media, etc. – and see exclusive pictures of them using the best stands in the music industry on our Ultimate Artists spotlight pages!

Products   Ultimate® Artist   Support   News   Where to Buy   OEM   Company

Reba McEntire
The Queen of Country

ARTIST SPOTLIGHT
Reba McEntire

Reba McEntire, also known as, "The Queen of Country," is an American country music singer, songwriter, and actress. While a sophomore in college, she performed the National Anthem at the National Rodeo in Oklahoma City and caught the attention of country artist Red Steagall. He brought her to Nashville, Tennessee, where she signed a contract with Mercury Records a year later in 1975. The rest, as they say, is history. She has released 26 studio albums, acquired 40 number one singles, 14 number one albums, and 28 albums have been certified gold, platinum, or multi-platinum, and sold more than 80 million records worldwide.

Reba is also an accomplished actress. She has been on the big screen in movies such as Tremors (1990) and Charlotte's Web (2006), starred on Broadway in productions such as Annie Get Your Gun (2001), and been extremely successful on television including her sitcom, Reba, which ran from 2001 to 2007!

Learn More!

Follow the Artist

Website
www.reba.com

Tour
Coming Soon!

Facebook
www.facebook.com/Reba

YouTube
www.youtube.com/user/RebaMcEntire

Twiter
twitter.com/reba

Artist Notable Accomplishments

- 26 Studio Albums
- 40 #1 Singles
- 14 #1 Albums
- 28 Gold, Platinum, or Multiplatinum Albums
- 80 Million Records Sold Worldwide
- 7 Top Female Vocalist Awards (Academy of Country Music)
- 12 Favorite Country Female Artist (American Music Awards)

"Ultimate Support stands are just what the doctor ordered! The Ultimate in keyboard, guitar, and mic stands for touring and studio work. Can't do without!"

Doug Sisemore
Music Director, Reba McEntire

Doug Sisemore, Music Director for Reba McEntire, and the rest of her band have been using Ultimate Support products for years – decades, in fact. Mr. Sisemore, who plays keyboards, guitar, and sings backup vocals, uses an APEX® AX-48 Pro Plus to hold his keyboard rig and microphone. The APEX AX-48 Pro Plus is part of the icon APEX Series of two-tiered column keyboard stands, originally announced at the Summer NAMM show in Chicago, Ill in 1987! Still being used by keyboard players all over the world, the updated AX-48 Pro Plus includes a mic stand adapter, microphone boom arm, and a convenience carrying bag. He and the rest of the band take advantage of Ultimate Support's award-winning line of Genesis® Series guitar stands on tour. They use the GS-1000, GS-200, and GS-100 stands to house their amazing array of acoustic, electric, and bass guitars.

Ultimate Support is grateful to be associated with Reba and her band and truly appreciate their continued support.

PRAY FOR PEACE
See **REBA's** Newest **VIDEO!**
Click Here!

www.ultimatesupport.com

www.youtube.com/ultimatesupport

www.facebook.com/ultimate.support

NEW! See Pages 12-13

Visit our website, YouTube and Facebook pages!

The Strength of Innovation®

For nearly four decades, Ultimate Support Systems has provided musicians with unique support solutions that are crafted with unparalleled innovation and quality and accompanied by superior customer service. Innovation is at the core of Ultimate Support's past, present, and future. You can trace Ultimate Support's roots back to 1977, when company founder, musician, and inventor Darrell Schoenig developed an alternative to the existing unwieldy and unsightly speaker stands. What came after was a whirlwind of industry standard products such as the first successful line of lightweight aluminum speaker stands, the legendary APEX keyboard stand, and innovative maverick technologies such as the world's first one-handed height-adjustable microphone stand. Thank you for your continued support!

Finding Your Professional Gear

ULTIMATE SUPPORT® LIMITED LIFETIME WARRANTY

Ultimate Support products are constructed of the finest materials and designed and tested to stand up to the demanding lifestyle of the touring musician, gigging DJ, and working sound engineer. In the unlikely event that a product should fail due to manufacturing defect, Ultimate Support is pleased to repair or replace that product. **Please see www.ultimatesupport.com for more information.**

Ultimate Support Systems . 5836 Wright Drive . Loveland, CO 80538 . 800.525.5628 . www.ultimatesupport.com

GUITAR & AMP STANDS *Genesis® Series*

GS-1000, item #16538

Height-adjustable Genesis Series Guitar Stand with Locking Legs and Self-closing Yoke Security Gate

Specs:
• Set Up Height: 33.5" - 45.5"
  (838mm - 1156mm)
• Weight: 3.5 lbs. (1.6 kg)
• Folded Length: 3.5" x 21"
  (89mm x 533mm)

Weight-sensing yoke automatically closes to securely cradle your guitar.

Quickly and easily adjust height.

Legs lock in place when standing or folded.

GS-100, item #13710

Height-adjustable Genesis Series Guitar Stand with Locking Legs, Hanging-style Yoke and Security Strap

Specs:
• Set Up Height: 33.5" - 45.5"
  (838mm - 1156mm)
• Weight: 3.5 lbs. (1.6 kg)
• Folded Length: 3.5" x 21"
  (89mm x 533mm)

Hanging-style yoke and safety strap secures guitar in place.

Quickly and easily adjust height.

Protective padding that won't inherently harm your guitar.

GS-200, item #13711

Genesis Series Guitar Stand with Locking Legs, Secure Headstock Yoke Security Gate and Support Arms

Specs:
• Set Up Height: 32" (813mm)
• Weight: 3.1 lbs. (1.4 kg)
• Folded: 3.5" x 21"
  (89mm x 533mm)

Hanging-style yoke and safety strap secures guitar in place.

Support arms offer more traditional support of lower bout.

GS-55, item #17350

Ultra Compact, A-Frame Style Genesis Series Guitar Stand with Locking Legs

Specs:
• Set Up Height: 12.25"
  (311mm)
• Weight: 1.5 lbs. (.71 kg)
• Folded: 3.5" x 14"
  (89mm x 356mm)

Keep extra picks near by with handy storage slots.

Stable A-Frame design holds acoustic or electric guitars.

AMP-150, item #13464

Ultra Compact, Three-position Tilt, Genesis Series Amp Stand with Locking Legs and Mic Boom Attachment

Specs:
• Set Up Height: 17.5" - 21.5"
  (444mm - 546mm)
• Weight: 3.1 lbs. (1.4 kg)
• Folded: 3.5" x 18"
  (89mm - 457mm)

Height adjustable to fit most combo amps.

Three tilt positions direct the amp's sound to your ears.

Never bring an extra mic stand to the gig again! Just add your boom arm and mic to the AMP-150.

GS-1000 Folded

GS-100 Folded

GS-200 Folded

GS-55 Folded

AMP-150 Folded

Fold 'em Up!
These industry standard guitar stands are not only incredibly sturdy, they're the perfect stand for the on-the-go guitar player!

KEYBOARD STANDS *V-Stand® Pro*

V-Stand Pro, Item #17479

Professional V-Style Height-adjustable Keyboard Stand

V-Stand Pro Features:
- Extraordinarily Versatile – Use in sitting or standing position!
- Incredibly Portable – Folds up into a compact 19" x 9.5" x 6" space!
- Heavy Load Capactity – Great for workstations, large mixers, heavy piano slabs, and DJ equipment!
- Suprisingly Light & Sturdy – Designed and manufactured from aluminum.

Heavy-walled support arms

Height-adjustable legs for sitting or standing

Floor supports lock in position

Ultra compact when folded

KEYBOARD STANDS *IQ Series®*

IQ-3000, item #14036

IQ Series® X-style Keyboard Stand with Patented Memory Lock, Nine Height Settings, Stabilizing End Caps, and Extra-strength Tubing - 300 lbs. Capacity

Specs:
- Height: 28.75" - 37" (730mm - 940mm)
- Width: 22" - 34" (559mm - 864mm)
- Weight: 22 lbs. (10 kg)
- Load Capacity: 300 lbs. (136.1 kg) distributed

IQ-2000, item #13241

IQ Series® X-style Keyboard Stand with Patented Memory Lock, Five Height Settings, Stabilizing End Caps, and Double-braced Tubing - 150 lbs. Capacity

Specs:
- Height: 26.5" - 36" (673mm - 914mm)
- Width: 18.5" - 33" (469mm - 838mm)
- Weight: 15 lbs. (6.8 kg)
- Load Capacity: 150 lbs. (68.2 kg) distributed

IQ-1000, item #13231

IQ Series® X-style Keyboard Stand with Patented Memory Lock System, Five Height Settings, Stabilizing End Caps, and Single-braced Tubing - 100 lbs. Capacity

Specs:
- Height: 26.5" - 36" (673mm - 914mm)
- Width: 18.5" - 33" (469mm - 838mm)
- Weight: 11 lbs. (5 kg)
- Load Capacity: 100 lbs. (45.5 kg) distributed

300 lbs. weight capacity for workstations, DJ gear, mixers, etc.

Patented Memory Lock system with nine height positions.

Stabilizing end caps overcome uneven surfaces.

Unprecedented strength in a lightweight design.

Patented Memory Lock system with five height positions.

Extra knee and foot room built into every IQ-1000!

Patented Memory Lock system with five height positions.

ULTIMATE SUPPORT™
LIMITED LIFETIME WARRANTY

KEYBOARD STANDS *APEX® Series*

APEX® AX-48 Pro B, item #17351

APEX® Series Professional Column Keyboard
Stand with 13" and 18" Tri-bar Support Arms – Black

Specs:
• Height: 46" (1168mm)
• Weight: 19 lbs. (8.6 kg)
• Folded Length: 52" (1321mm)
• Load Capacity: Up to 125 lbs. per tier (56.8 kg)
  or 250 lbs. total (113.6 kg)

New top cap w/ professional piano-style hinge.

Height-adjustable arms hold up to 125 lbs. each

Cable management system.

Arms and legs store inside column.

APEX® AX-48 Pro S, item #17476

APEX® Series Professional Column Keyboard
Stand with 13" and 18" Tri-bar Support Arms – Silver

Specs:
• Height: 46" (1168mm)
• Weight: 19 lbs. (8.6 kg)
• Folded Length: 52" (1321mm)
• Load Capacity: Up to 125 lbs. per tier (56.8 kg)
  or 250 lbs. total (113.6 kg)

APEX® AX-48 PRO Plus, item 17368

APEX® Column Keyboard Stand Bundle with
Microphone Boom and Tote Bag – Black

Included with This Bundle:
• AX-48 Pro Column Keyboard Stand (Black)
• Ulti-Boom Telescoping Mic Boom Arm
• AX-48 Pro Boom Adapter
• AX-48 Pro Tote Bag

Tote Bag &
Ulti-Boom Included!

IQ-2200, item #17478

IQ Series® Two-tier X-style Keyboard Stand with
Patented Memory Lock System, Five Height Settings,
Stabilizing End Caps, Double-braced Tubing -
150/50 lbs. Capacity

Specs:
• Weight Capacity: 150/50 lbs. (68/23 kg)
• Height Positions: Five
• Height (1st Tier): 26.5" – 36" (673mm – 914mm)
• Height (2nd Tier): 11.5" (291mm)
• Depth (both): 13.5" (343mm)
• Width: 18.5" – 33" (469mm – 838mm)
• Weight: 18.85 lbs. (8.6 kg)

INCLUDES SECOND TIER

Unprecedented strength in a lightweight design.

Patented Memory Lock system with five height positions.

IQ-1200, item #17477

IQ Series® Two-tier X-style Keyboard Stand with
Patented Memory Lock System, Five Height Settings,
Stabilizing End Caps, Single-braced Tubing -
100/50 lbs. Capacity

Specs:
• Weight Capacity: 100/50 lbs. (45/23 kg)
• Height Positions: Five
• Height (1st Tier): 26.5" – 36" (673mm – 914mm)
• Height (2nd Tier): 11.5" (291mm)
• Depth (both): 13.5" (343mm)
• Width: 18.5" – 33" (469mm – 838mm)
• Weight: 14.85 lbs. (6.7 kg)

INCLUDES SECOND TIER

Extra knee and foot room built into every IQ-1000!

Patented Memory Lock system with five height positions.

Keyboard Stand *Accessories*

IQ-200, item #13360
Second Tier for Ultimate Support IQ-2000
and IQ-1000 Keyboard Stands

• *Load capacity: 50 lbs. (23 kg)*

Add to your IQ-1000.

— OR —

Add to your IQ-2000.

AX-48 Pro Mic, item #17366
Microphone Boom Arm Adapter
and Ulti-Boom for Use with
AX-48 Pro Keyboard Stand

AX-48 Pro Bag, item #17367
Tote Bag for Use with
AX-48 Pro Keyboard Stand

LAPTOP & DJ STANDS *HyperStation Series*

HyperStation QR, 17510

Desktop and 5/8" Thread Mountable Laptop/DJ Stand with Angle-adjustable Telescoping Support Arms, Height-adjustable Second Tier, and QuickRelease™ Center Post

Specs:
- Height: 12.5" (318mm)
- Base Width: 10.25" (260mm)
- Base Depth: 10.5" (267mm)
- Arms Width: 10.25" (260mm)
- Arms Depth (inside): 8.0" – 13" (203mm – 330mm)
- Second Tier Width: 6.25" (159mm)
- Second Tier Depth: 8.5" (216mm)
- Folded Dimensions: 2.5" x 10.5" x 13" (64mm x 267mm x 330mm)
- Weight: 6.85 lbs. (3.1 kg)

Mounted on included T-Stand Adapter

Mounted on HyperStation QR Base

Mounted on Microphone Stand

iPAD STAND *HyperPad™ Series*

HyperPad™, 17480

5-in-1 iPad Stand for Musicians, DJs, Office, Home and More

HyperPad Features:
- Five Configurations – Landscape View, Portrait View Desktop Clamp, Pole Clamp, and Mic Stand!
- Secures iPad 2 or the new iPad in all five configurations
- Angle adjustable in both landscape and portrait view modes
- Gooseneck boom for Desktop Clamp and Microphone Stand Clamp included

Landscape View

Portrait View

Desktop Clamp

Pole Clamp

Mic Stand

HyperMount QR, 17511

Desktop and 5/8" Thread Mountable Laptop/DJ Stand with Angle-adjustable Telescoping Support Arms, Height-adjustable Second Tier, and QuickRelease™ Center Post

Specs:
- Height: 5.75" (146mm)
- Height w/T-Stand: 6.75" (171mm)
- Arms Width: 10.25" (260mm)
- Arms Depth (inside): 8.0" – 13" (203mm – 330mm)
- Folded Dimensions: 1.5" x 10.5" x 13" (38mm x 267mm x 330mm)
- Weight: 3.35 lbs. (1.5 kg)

Mounted on included T-Stand Adapter

Mounted on Microphone Stand

QuickRelease

QR-5, item #17516

Five (5) QuickRelease™ Adapters for Microphone Stands and Microphone Clips & Free Carrying Case Bundle

- *Five QR-1 adapters included*
- *Handy carrying case for FREE!*
- *Quickly swap mics on stands*
- *2-piece QuickRelease™ adapter*
- *Made from strong steel*

QR-1, item #17512

QuickRelease™ Adapter for Microphone Stands and Microphone Clips

- *2-piece QuickRelease™ Adapters*
- *Mad from strong steel*

HyperPad™ mini, 17513

5-in-1 iPad mini Stand for Musicians, DJs, Office, Home and More

HyperPad mini Features:
- Five Configurations – Landscape View, Portrait View Desktop Clamp, Pole Clamp, and Mic Stand!
- Secures iPad mini in all five configurations
- Angle adjustable in both landscape and portrait view modes
- Gooseneck boom for Desktop Clamp and Microphone Stand Clamp included

Landscape View

Portrait View

Desktop Clamp

Pole Clamp

Mic Stand

iPad Stand   *Accessories*

TC-100, item #17514

Table clamp and 9" gooseneck adapter to mount HyperPad or microphones to the edge of flat surfaces

- *Includes table clamp and gooseneck*
- *Clamp extends .5" - 2"*
- *9" gooseneck with 5/8" thread*

PC-100, item #17515

Pole Clamp and 9" Gooseneck Adapter to mount HyperPad or mic stand pole

- *Includes table clamp and gooseneck*
- *Clamp extends .375" - 1.25"*
- *9" gooseneck with 5/8" thread*

SPEAKER STANDS *Air-Powered Series*

Air-Powered Series speaker stands from Ultimate Support represent everything all other speaker stands aspire to be. They're incredibly strong, extraordinarily sturdy, lightweight, 100% field serviceable, AND raise and lower speakers on their own! Driven by innovation and years of research and development, the Air-Powered Series features an internal shock that lifts speakers weighing 35 lbs and less with no effort, and requires very little end-user effort to raise speakers weighing more than 35 lbs!

TS-100B, item #16759

Air-Powered Series Lift-assist Aluminum Tripod Speaker Stand with Integrated Speaker Adapter.

Specs:
- Height: 3'8" - 6'7" (1118mm - 2007mm)
- Weight: 12.1 lbs. (5.5 kg)
- Base Diameter: 47" (1194mm)
- Telescoping Tube Diameter: 1.5" (38mm)
- Adapter Diameter: 1.375" (35mm)
- Load Capacity: 150 lbs. (68.2 kg)
- Folded: 43.5" x 5.5" (1105mm x 140mm)

Oversized, heavy wall aluminum tubing for strength and portability.

Internal air-powered shock gently raises and lowers the speaker for you.

Patented tripod design and glass-reinforced fittings and collars for gig-worthy strength.

TS-100B

TS-110B, item #17356

Air-Powered Series Lift-assist Aluminum Tripod Speaker Stand with Integrated Speaker Adapter - Extra Tall Height

Specs:
- Height: 5'2"- 9'2" (1575mm - 2794mm)
- Weight: 13.1 lbs. (5.5 kg)
- Base Diameter: 62" (1575mm)
- Telescoping Tube Diameter: 1.5" (38mm)
- Adapter Diameter: 1.375" (35mm)
- Load Capacity: 150 lbs. (68.2 kg)
- Folded: 57.5" x 5.5" (1461mm x 140mm)

Extra tall version extends to 9' 2"!

TS-110B

TS-110BL, item #17357

Air-Powered Series Lift-assist Aluminum Tripod Speaker Stand with Integrated Speaker Adapter - Extra Tall Height and Leveling Leg

Specs:
- Height: 5'2"- 9'2" (1575mm - 2794mm)
- Weight: 13.5 lbs. (5.5 kg)
- Base Diameter: 62" (1575mm)
- Telescoping Tube Diameter: 1.5" (38mm)
- Leveling Leg Length: 40"- 53" (1016mm - 1346mm)
- Adapter Diameter: 1.375" (35mm)
- Load Capacity: 150 lbs. (68.2 kg)
- Folded: 57.5" x 6" (1461mm x 152mm)

Extra tall version extends to 9' 2"!

Leveling leg for placement on uneven surfaces, risers, or stairs.

TS-110BL

SPEAKER STANDS *Original Series*

TS-80 tripod speaker stands from Ultimate Support are the industry standard stands you've seen on stages for decades. They're sturdy and lightweight, 100% field serviceable, and are used in more venues, on more stages, and in more shows than any other speaker stand in history. Ultimate Support invented the tripod speaker stand over 30 years ago and the TS-80B, TS-80S, and TS-88B continue the legacy of quality, innovation, and strength today.

TS-80B, item #13904

Original Series Aluminum Tripod Speaker Stand with Integrated Speaker Adapter - Black

Specs:
- Color: Black
- Height: 3'8" - 6'7" (1118mm - 2007mm)
- Weight: 7.3 lbs. (3.3 kg)
- Base Diameter: 47" (1194mm)
- Telescoping Tube Diameter: 1.5" (38mm)
- Adapter Diameter: 1.375" (35mm)
- Load Capacity: 150 lbs. (68.2 kg)
- Folded: 43.5" x 5.5" (1105mm x 140mm)

Over-sized heavy wall aluminum tubing.

Patented die-cast metal collar on tripod leg fitting.

Patented tripod design and glass-reinforced fittings and collars for gig-worthy strength.

TS-80B

TS-80S, item #13903

Original Series Aluminum Tripod Speaker Stand with Integrated Speaker Adapter - Silver

Specs:
- Color: Silver
- Height: 3'8" - 6'7" (1118mm - 2007mm)
- Weight: 7.3 lbs. (3.3 kg)
- Base Diameter: 47" (1194mm)
- Telescoping Tube Diameter: 1.5" (38mm)
- Adapter Diameter: 1.375" (35mm)
- Load Capacity: 150 lbs. (68.2 kg)
- Folded: 43.5" x 5.5" (1105mm x 140mm)

TS-80S

TS-88B, item #13906

Original Series Aluminum Tripod Speaker Stand with Integrated Speaker Adapter - Extra Tall Height, Black

Specs:
- Color: Black
- Height: 5'2" - 9'2" (1575mm - 2794mm)
- Weight: 9.8 lbs. (4.5 kg)
- Base Diameter: 62" (1575mm)
- Telescoping Tube Diameter: 1.5" (38mm)
- Adapter Diameter: 1.375" (35mm)
- Load Capacity: 150 lbs. (68.2 kg)
- Folded: 57.5" x 5.5" (1461mm x 140mm)

Extra tall version extends to 9' 2"!

TS-88B

SPEAKER STANDS *TeleLock® Series*

TeleLock® Series speaker stands are some of the easiest speaker stands to use thanks to the patented TeleLock® collar. Set the TeleLock® collar to the "Raise" setting and the Auto-lock technology provides just the right amount of resistance to lock the telescoping pole in place while you adjust the height of your speaker. Set it to the "Lower" setting and gently guide your speaker down. Set it to the "Lock" setting and the speaker will securely lock in place. Owning and using TeleLock® speaker stands is like having tour support built into every show!

TS-90B, item #13908

TeleLock® Series Lift-assist Aluminum Speaker Stand with Integrated Speaker Adapter

Specs:
- Height: 3'8" - 6'7" (1118mm - 2007mm)
- Weight: 7.3 lbs. (3.3 kg)
- Base Diameter: 47" (1194mm)
- Telescoping Tube Diameter: 1.5" (38mm)
- Adapter Diameter: 1.375" (35mm)
- Load Capacity: 150 lbs. (68.2 kg)
- Folded: 43.5" x 5.5" (1105mm x 140mm)

TS-99B, item #13910

TeleLock® Series Lift-assist Aluminum Speaker Stand with Integrated Speaker Adapter - Extra Tall Height

Specs:
- Height: 5'2"- 9'2" (1575mm - 2794mm)
- Weight: 9.8 lbs. (4.5 kg)
- Base Diameter: 62" (1575mm)
- Telescoping Tube Diameter: 1.5" (38mm)
- Adapter Diameter: 1.375" (35mm)
- Load Capacity: 150 lbs. (68.2 kg)
- Folded: 57.5" x 5.5" (1461mm x 140mm)

TS-99BL, item #13642

TeleLock® Series Lift-assist Aluminum Speaker Stand with Integrated Speaker Adapter - Extra Tall Height and Leveling Leg

Specs:
- Height: 5'2"- 9'2" (1575mm - 2794mm)
- Weight: 10.2 lbs. (4.5 kg)
- Base Diameter: 62" (1575mm)
- Telescoping Tube Diameter: 1.5" (38mm)
- Leveling-leg length 40" - 53" (1016mm - 1346mm)
- Adapter Diameter: 1.375" (35mm)
- Load Capacity: 150 lbs. (68.2 kg)
- Folded: 57.5" x 6" (1461mm x 152mm)

Over-sized heavy wall aluminum tubing.

Patented lift-assist TeleLock® collar.

Quick Release design enables a much faster setup and tear down.

TS-90B

Extra tall version extends to 9' 2"!

TS-99B

Extra tall version extends to 9' 2"!

Leveling leg for placement on uneven surfaces, risers, or stairs.

TS-99BL

SPEAKER STANDS *Classic Series*

TS-70 WEIGHT TEST

You Tube

See how even a forklift can't break this speaker stand at:
http://www.ultimatesupport.com/video_ts70-test.php

TS-70B, item #13712

Aluminum Tripod Speaker Stand with Safe and Secure Locking Pin - Black

Specs:
- Height: 4'2" - 6'5" (1270mm - 1956mm)
- Weight: 5 lbs. (2.4 kg)
- Base Diameter: 40" (1016mm)
- Telescoping Tube Diameter: 1.375" (35mm)
- Adapter Diameter: 1.5" (38mm)
- Load Capacity: 150 lbs. (68.2 kg)
- Folded: 41.5" x 5" (1054mm x 127mm)

Light weight, super strong aluminum tubing.

Safe, secure fittings and pin mechanism.

Glass-reinforced polycarbonate fitings and collar.

Speaker Stand *Accessories*

Bag-90, item #15691
Speaker Stand Tote for One Regular Sized Speaker Stand

Bag-90D, item #15693
Speaker Stand Tote for Two Regular Sized Speaker Stands

Bag-99, item #15692
Speaker Stand Tote for One Extra Tall Speaker Stand

Bag-99D, item #15694
Speaker Stand Tote for Two Extra Tall Speaker Stand

BMB-200K, item #10766
External Speaker Cabinet Mounting Bracket for Mounting Speaker Cabinets on Speaker Stands

TSM-150MK, item #13421
Internal Mounting Bracket for Mounting Speaker Cabinets on Speaker Stands - 1-1/2"

TSM-138MK, item #13425
Internal Mounting Bracket for Mounting Speaker Cabinets on Speaker Stands - 1-3/8"

NEW WEBSITE!

New Product Pages!

Added Video Section: Watch informative, helpful videos for each and every Ultimate Support branded product!


**New image viewer:** See multiple, hi-res images of each product up close!

**More details:** Get the scoop on detailed features for each product!

Convenient side bar: Specs, documents, accessories, and more are available for each product in a convenient, new side bar!


TS-90B
TeleLock® Series Lift-assist Aluminum Speaker Stand with Integrated Speaker Adapter

The TeleLock® Series speaker stands from Ultimate Support are extraordinarily strong yet lightweight due to its over-sized heavy wall aluminum tubing. They're everything you'd expect from an Ultimate Support speaker stand - they're strong, sturdy, lightweight, 100% field serviceable, and easy to set up and take down. However, the TeleLock collar gives the user the ability to safely raise or lower the stand WHILE a speaker is on it thanks to the Auto-lock technology that securely grips the telescoping tube in place as you set its height.

TS-90B Product Breakdown:
- Patented TeleLock Collar
- Patented Tripod Design
- Over-sized Heavy Wall Aluminum Tubing
- 100% Field Serviceable Parts

Patented TeleLock Collar

The TS-90 is one of the easiest speaker stands to use thanks to its patented TeleLock collar. Set the TeleLock collar to either the "Raise" or "Lower" setting and the Auto-lock technology provides just the right amount of resistance to allow you to raise or lower the speaker while locking the tube in place as you go. It's like having tour support built into your speaker stand!

Patented Tripod Design

The TS-90's offset tripod base design provides more support than typical "off-the-shelf" speaker stands. The design makes for very tight internal fittings, doing away with unnecessary sloppy leg problems, and includes a super strong die-cast metal collar that prevents over-tightening and breakage issues associated with all plastic designs.

Over-sized Heavy Wall Aluminum Tubing

The entire stand (legs, mast, and telescoping tube) uses oversized, heavy-walled aluminum tubing for durability, functionality, and weight savings. The TS-90 will not rust or corrode (thanks to its architectural anodized finish), is very smooth to operate, and is extraordinarily strong yet lightweight.

Field Serviceable Parts

From the foot caps on the bottom of the tripod legs all the way up to the speaker adapter at the top of the stand, the TS-90 is serviceable by parts as needed over its very long lifespan. In the unlikely event that something does break on the TS-90, simply replace with an affordable part instead of throwing the entire stand away and buying a whole new one!

TS-90B Folded

New Support Pages!

Search Function: *You're still welcome to call us with questions about products, but now you can search our support database to find helpful documents, parts, accessories, and more for each and every Ultimate Support branded product!*

Everything in one spot: *Specs, support docs, how-to docs, replaceable parts, and accessories are all found on one easy-to-natvigate page for each and every Ultimate Support branded product!*

MIC STANDS   *Pro Series*

Pro Series microphone stands from Ultimate Support are designed for the gigging musician, working engineer, and professional venue. They are the workhorses of the Ultimate Support line of microphone stands. Whether you're the singer out in front of the band, are miking a guitar cabinet and drums, or simply need to place mics in front of your church choir, the Pro Series from Ultimate Support has a microphone stand that's perfect for your needs.

Pro-T, item #17198

Pro Series Microphone Stand with Patented Quarter-turn Clutch and Oversized Steel Tubing - Tripod Base/Standard Height

Specs:
- Finish: Powder Coated
- Base Type: Tripod
- Base Diameter: 26" (660mm)
- Height Type: Standard
- Height: 41.7" - 63" (1060mm - 1600mm)
- Tube Diameter: 1" (25mm)
- Weight: 7.25 lbs. (3.3 kg)

Super smooth Quarter-Turn Clutch.

The entire stand uses oversized and heavy walled steel tubing.

Die-cast base with heavy-duty tripod legs.

Pro-T-T, item #17213

Pro Series Microphone Stand with Patented Quarter-turn Clutch and Oversized Steel Tubing - Tripod Base/Standard Height/Telescoping Ulti-Boom

Specs:
- Finish: Powder Coated
- Base Type: Tripod
- Base Diameter: 26" (660mm)
- Height Type: Standard
- Height: 41.7" - 63" (1060mm - 1600mm)
- Tube Diameter: 1" (25mm)
- Weight: 9 lbs. (4.1 kg)
- Ulti-Boom Length: 18.9" - 34.6" (480mm - 880mm)

Telescoping Ulti-Boom included.

Pro-T-F, item #17214

Pro Series Microphone Stand with Patented Quarter-turn Clutch and Oversized Steel Tubing - Tripod Base/Standard Height/Fixed-length Ulti-Boom

Specs:
- Finish: Powder Coated
- Base Type: Tripod
- Base Diameter: 26" (660mm)
- Height Type: Standard
- Height: 41.7" - 63" (1060mm - 1600mm)
- Tube Diameter: 1" (25mm)
- Weight: 9 lbs. (4.1 kg)
- Ulti-Boom Length: 34.3" (871mm)

Fixed-length Ulti-Boom included.

Pro-SB, item #17201

Pro Series Microphone Stand with Patented Quarter-turn Clutch and Oversized Steel Tubing - Stackable Base/Standard Height

Specs:
- Finish: Powder Coated
- Base Type: Stackable Base
- Base Diameter: 12" (305mm)
- Height Type: Standard
- Height: 37.4" - 57.9" (950mm - 1470mm)
- Tube Diameter: 1" (25mm)
- Weight: 12.6 lbs. (5.7 kg)

Stackable base allows up to six stands to stack in the foot print of one.

Pro-T-Short-T, item #17212
Pro-T-Short-F, item #17211

Pro Series Microphone Stand with Patented Quarter-turn Clutch and Oversized Steel Tubing - Tripod Base/Short Height/Ulti-Boom

Specs:
- Base Tripod
- Base Diameter: 26" (660mm)
- Height: 19.3" - 30" (490mm - 760mm)
- Tube Diameter: 1" (25mm)
- Weight: 8.35 lbs. (3.8 kg)
- Boom Length (Telescoping): 18.9"-34.6" (480mm-880mm)
- Boom Length (Fixed-length): 34.3" (871mm)

Pro-T-Short-T

Pro-T-Short-F

Pro-ST, item #17200

Pro Series Microphone Stand with Patented Quarter-turn Clutch and Oversized Steel Tubing - Standard Weighted Base/Standard Height

Specs:
- Finish: Powder Coated
- Base Type: Standard Weighted Base
- Base Diameter: 13" (330mm)
- Height Type: Standard
- Height: 37.4" - 57.9" (950mm - 1470mm)
- Tube Diameter: 1" (25mm)
- Weight: 12.75 lbs. (5.8 kg)

Die-cast weighted base with a quick-release design for dependable, fast setup and take down.

LIMITED LIFETIME WARRANTY

MIC STANDS   *Custom Chrome 66*

CUSTOM

CHROME

66

MIC STAND

Custom-6, item #16775

Mic Stands with One-hand Height Adjustment and Free Gig Bag

Specs:
- Height: 40" - 64" (1016mm - 1626mm)
- Weight: Approx. 8 lbs. (3.6 kg)
- Base Diameter: 14" (356mm)

One-hand height adjustment built into each stand.

Stunning chrome finish that won't corrode or rust.

Awesome, personality-driven weighted base.

FREE
Gig Bag Included!

MIC STANDS   *Live Series*

Live-T, item #17204

Live Series Microphone Stand with One-handed Height Adjustment, Durable Lightweight Aluminum Construction – Tripod Locking Legs

Specs:
- Finish: Anodized
- Base Type: Locking Tripod
- Base Diameter: 26.5" (673mm)
- Height Type: Standard Height
- Height: 45.3" - 74.8" (1150mm - 1900mm)
- Tube Diameter: 1" (25mm)
- Weight: 4.2 lbs. (2 kg)

One-handed height adjustment.

Durable, lightweight aluminum construction.

Locking tripod base.

Live-ST, item #17205

Live Series Microphone Stand with One-handed Height Adjustment, Durable Lightweight Aluminum Construction – Weighted Base

Specs:
- Finish: Anodized
- Base Type: Weighted Base
- Base Diameter: 13" (330mm)
- Height Type: Standard Height
- Height: 44.5" - 74" (1130mm - 1880mm)
- Tube Diameter: 1" (25mm)
- Weight: 12 lbs. (5.4 kg)

Stable weighted base.

Live-SB, item #17206

Live Series Microphone Stand with One-handed Height Adjustment, Durable Lightweight Aluminum Construction – Stackable Weighted Base

Specs:
- Finish: Anodized
- Base Type: Stackable Weighted Base
- Base Diameter: 12" (305mm)
- Height Type: Standard Height
- Height: 44.5" - 74" (1130mm - 1880mm)
- Tube Diameter: 1" (25mm)
- Weight: 11.6 lbs. (5.3 kg)

Stackable base allows up to six stands to stack in the foot print of one.

MIC STANDS *Studio Series*

6" mini drop boom included.

Boom is adjustable from 35" to 61"

Adjustable counter weight.

MC-125, item #16124

Studio Boom with Adjustable Counter Weight and Rollerblade-style Caster Wheels

Height adjustable from 52" to 83"

Specs:
- Finish: Powder Coated
- Base Type: Weighted Base with Wheels
- Base Diameter (with Casters): 26" (660mm)
- Height: 51.5" - 82.75" (1308mm - 2102mm)
- Tube Diameter: 1.1" (28mm)
- Weight: 35 lbs. (15.88 kg)
- Boom Length: 35" - 61" (889mm - 1549mm)
- Counterweight Weight: 5.75 lbs. (2.6 kg)

Rollerblade-style wheels for friction-free movement.

MIC STANDS *Classic Series*

MC-40, item #15159

Classic Series Microphone Stand with Three-way Adjustable Boom Arm and Stable Tripod Base

Specs:
- Finish: E-coated
- Base Type: Tripod
- Base Diameter: 28" (711mm)
- Height Type: Standard
- Height: 36" - 63" (914mm - 1600mm)
- Tube Diameter: .87" (22mm)
- Weight: 6.3 lbs. (4.2 kg)
- Boom Length: 31.7" (805mm)

MC-40 3-Pack, item #17904

Classic Series Tripod Microphone Stand with Three-way Adjustable Boom Arm and Stable Tripod Base — 3-Pack

Specs:
- Finish: E-coated
- Base Type: Tripod
- Base Diameter: 28" (711mm)
- Height Type: Standard
- Height: 36" - 63" (914mm - 1600mm)
- Tube Diameter: .87" (22mm)
- Weight: 6.3 lbs. (4.2 kg)
- Boom Length: 31.7" (805mm)

MC-05, item #13461

Classic Series Microphone Stand with Quick-release Clutch and Weighted Round Base

Specs:
- Finish: E-coated
- Base Type: Round Weighted Base
- Base Diameter: 10" (254mm)
- Height Type: Standard
- Height: 34.75" - 64" (883mm - 1626mm)
- Tube Diameter: .87" (22mm)
- Weight: 8.8 lbs. (4 kg)

Three-way adjustable boom arm.

Quick-release clutch.

Stable tripod base.

Stable weighted round base.

ULTIMATE SUPPORT™
LIMITED LIFETIME WARRANTY

MONITOR STANDS *MS Series*

MS-100

Second Generation Column Studio Monitor Stand with Adjustable Angle/Axis and Acoustic Foam Pads - Black or Red Accents

Specs:
- Sold in Pairs
- Column Height (Spikes to Top Plate): 36" (914mm)
- Column Height (Foot Caps to Top Plate): 36.5" (927mm)
- Monitor Platform Height (w/Acoustic Foam): 2" (51mm)
- Weight (before filling column): 15.7 lbs. (7.1 kg)
- Base Diameter: 19" (482mm)
- Load Capacity: 75 lbs. (34.1 kg)

Adjust angle and axis of studio monitor.

Internal channels for dampening and cable management.

Sonic isolation and decoupling throughout.

Rubber foot caps and spikes included.

MS-100R
item #17381

MS-100B
item #17450

MS-90

Second Generation Column Studio Monitor Stand with Non-marring Decoupling Pads - Black or Red Accents, 36" or 45" Height

Specs:
- Sold in Pairs
- MS-90/36 Height: 36" (914mm)
- MS-90/36 Weight (before filling column): 12.2 lbs. (5.5 kg)
- MS-90/45 Height: 45" (1143mm)
- MS-90/45 Weight (before filling column): 14.5 lbs. (6.6 kg)
- Monitor Base: 12" x 10.25" (305mm x 260mm)
- Base Diameter: 19" (482mm)
- Load Capacity: 75 lbs. (34.1 kg)

MS-90/36B
item #17448

MS-90/36R
item #17380

Non-marring decoupling pads.

Internal channels for cable and dampening management.

Sonic isolation and decoupling throughout.

Rubber foot caps and spikes included.

MS-90/45B
item #17449

MS-90/45R
item #17430

MS-80, item #17379

Angle-adjustable Desktop Studio Monitor Stands with Acoustic Foam Pads and Rubber Spiked Feet

Specs:
- Sold in Pairs
- Angle Adjustment Height: 2" - 3" (50mm - 76mm)
- Weight: 3.3 lbs. (1.5 kg)
- Monitor Base: 12" x 10.25" (305mm x 260mm)
- Load Capacity: 75 lbs. (34.1 kg)

Foam padding and rubber feet for sonic isolation.

Adjust the angle of your desktop speakers – up or down!

Dark Magic
item #16771

GUITAR BAGS — SERIESONE

USS1-EG, item #17267

Series ONE Soft Case for Electric Guitar with Backpack Straps, Three Roomy External Storage Pockets, and Internal Padded Neck Support

Specs:
- Weight: 4.1 lbs. (1.8 kg)
- Outside Measurements: Neck Width - 8.5" (216mm), Body Width - 16.5" (419mm), Height - 44.5" (1130mm), Depth - 3.5" (89mm)
- Inside Measurements: Neck - 7" (178mm), Body - 15" (381mm), Height - 43" (1092mm), Depth - 2" (50mm)

Backpack straps for extra comfort that tuck away when not in use.

3 exterior pockets for all your foot pedals, cables, headphones, and accessories.

USS1-AG, item #17268

Series ONE Soft Case for Acoustic Guitar with Backpack Straps, Three Roomy External Storage Pockets, and Internal Padded Neck Support

Specs:
- Weight: 4.2 lbs. (2 kg)
- Outside Measurements: Neck Width - 8.5" (216mm), Body Width - 16.5" (419mm), Height - 44.5" (1130mm), Depth - 5.5" (140mm)
- Inside Measurements: Neck - 7" (178mm), Body - 15" (381mm), Height - 43" (1092mm), Depth - 4" (102mm)

USS1-EB, item #17269

Series ONE Soft Case for Electric Bass Guitar with Backpack Straps, Three Roomy External Storage Pockets, and Internal Padded Neck Support

Specs:
- Weight: 4.4 lbs. (1.9 kg)
- Outside Measurements: Neck Width - 8.5" (216mm), Body Width - 16.5" (419mm), Height - 48" (1219mm), Depth - 3.5" (89mm)
- Inside Measurements: Neck - 7" (178mm), Body - 15" (381mm), Height - 46.5" (1181), Depth - 2" (50mm)

GUITAR BAGS — GREENROOM

USGR-EG, item #17270

GreenRoom Series Gig Bag for Electric Guitar with Three External Storage pockets, Two Convenient Carrying Handles, and Ergonomic Sling

Specs:
- Weight: 2.7 lbs. (1.2 kg)
- Exterior Measurements: Neck Width - 7.25" (184mm), Body Width - 15.5" (394mm), Height - 43.5" (1105mm), Depth - 1.25" (159mm)
- Interior Measurements: Neck Width - 6.25" (178mm), Body Width - 14.5" (368mm), Height - 42.5" (1080mm)

USGR-AG, item #17271

GreenRoom Series Gig Bag for Acoustic Guitar with Three External Storage pockets, Two Convenient Carrying Handles, and Ergonomic Sling

Specs:
- Weight: 3 lbs. (1.3 kg)
- Exterior Measurements: Neck Width - 7.25" (184mm), Body Width - 15.5" (394mm), Height - 43.5" (1105mm), Depth - 5.75" (159mm)
- Interior Measurements: Neck Width - 6.25" (178mm), Body Width - 14.5" (368mm), Height - 42.5" (1080mm), Depth - 4.75" (121mm)

USGR-EB, item #17272

GreenRoom Series Gig Bag for Electric Bass Guitar with Three External Storage pockets, Two Convenient Carrying Handles, and Ergonomic Sling

Specs:
- Weight: 2.6 lbs. (1.1 kg)
- Exterior Measurements: Neck Width - 7.25" (184mm), Body Width - 15.5" (394mm), Height - 48" (1219mm), Depth - 1.25" (159mm)
- Interior Measurements: Neck Width - 6.25" (178mm), Body Width - 14.5" (368mm), Height - 47" (1194mm)

ULTIMATE SUPPORT™ LIMITED LIFETIME WARRANTY

KEYBOARD BAGS — SERIESONE

USS1-88, item #17280
Series ONE Soft Case for 88-note Keyboard with Extra Protective Padding and Three Roomy External Storage Pockets

Specs:
- Weight: 6.3 lbs. (2.9 kg)
- Outside Measurements: Width - 22" (559mm), Length - 57" (1448mm), Depth - 7" (178mm)
- Inside Measurements: Width - 21" (533mm), Length - 56" (1422mm), Depth - 6" (152mm)

USS1-76, item #17279
Series ONE Soft Case for 76-note Keyboard with Extra Protective Padding and Three Roomy External Storage Pockets

Specs:
- Weight: 5.1 lbs. (2.3 kg)
- Outside Measurements: Width - 16" (406mm), Length - 51" (1295mm), Depth - 7" (178mm)
- Inside Measurements: Width - 15" (381mm), Length - 50" (1270mm), Depth - 6" (152mm)

USS1-61, item #17278
Series ONE Soft Case for 61-note Keyboard with Extra Protective Padding and Three Roomy External Storage Pockets

Specs:
- Weight: 4.4 lbs. (2 kg)
- Outside Measurements: Width - 16" (406mm), Length - 43.5" (1105mm), Depth - 7" (178mm)
- Inside Measurements: Width - 15" (381mm), Length - 42.5" (1079mm), Depth - 6" (152mm)

USS1-49C, item #17361
Series ONE Soft Case for 49-note Keyboard with Extra Protective Padding and Three Roomy External Storage Pockets

Specs:
- Weight: 4.1 lbs. (1.8 kg)
- Outside Measurements: Width - 16" (406mm), Length - 37" (952mm), Depth - 7" (178mm)
- Inside Measurements: Width - 15" (381mm), Length - 36" (914mm), Depth - 6" (152mm)

USS1-25/37C, item #17360
Series ONE Soft Case for 25- to 37-note Keyboard with Extra Protective Padding and Three Roomy External Storage Pockets

Specs:
- Weight: 2.6 lbs. (1.2 kg)
- Outside Measurements: Width - 12" (305mm), Length - 23" (584mm), Depth - 5" (127mm)
- Inside Measurements: Width - 11" (279mm), Length - 22" (559mm), Depth - 4" (102mm)

Heavy-duty nylon handle, reinforced with triple stitching.

Protective materials and custom hardware.

3 exterior pockets for all your foot pedals, cables, headphones, and accessories.

KEYBOARD BAGS — GREENROOM

USGR-88, item #17283
GreenRoom Series Gig Bag for 88-note Keyboards with Three External Storage pockets, One Convenient Carrying Handle, and Ergonomic Sling

Specs:
- Weight: 4.55 lbs. (2.1 kg)
- Outside and Inside Measurements: Width - 22.5" (572mm), Length - 58.5" (1486mm), Depth - 1" (25mm)

USGR-76, item #17282
GreenRoom Series Gig Bag for 76-note Keyboards with Three External Storage pockets, One Convenient Carrying Handle, and Ergonomic Sling

Specs:
- Weight: 3.45 lbs. (1.6 kg)
- Outside and Inside Measurements: Width - 17.5" (445mm), Length - 50.5" (1283mm), Depth - 1" (25mm)

USGR-61, item #17281
GreenRoom Series Gig Bag for 61-note Keyboards with Three External Storage pockets, One Convenient Carrying Handle, and Ergonomic Sling

Specs:
- Weight: 3.10 lbs. (1.4 kg)
- Outside and Inside Measurements: Width - 17.5" (445mm), Length - 44" (1118mm), Depth - 1" (25mm)

Extraordinarily lightweight for easy travel.

Durable yet affordable!

3 exterior pockets for all your foot pedals, cables, headphones, and accessories.

DRUM BAGS SERIESONE

USS1-ROCK, item #17337
USS1-FUSION, item #17338
USS1-JAZZ, item #17339

5-piece Series ONE Sets of Soft Cases for Drum Kits with 840 Dobby Exterior, 20mm Interior Padding – Three Configurations Available

Three Configurations:
- Rock Drum Set Bag Kit: 22"x18", 16"x16", 11"x13", 10"x12", 6.5"x14"
- Fusion Drum Set Bag Kit: 22"x18", 16"x16", 9"x12", 8"x10", 6.5"x14"
- Jazz Drum Set Bag Kit: 16"x20", 14"x14", 9"x12", 8"x10", 5.5"x14"

Best value bag offering more features than any comparable bag.

Heavy-duty nylon handle, reinforced with triple stitching.

Protective materials and custom hardware.

(Rock Drum Set Bag Kit Shown)

CYMBAL BAGS HYBRID

USHB-CYBP, item #17288

Hybrid Series Cymbal Backpack with Three External Pockets, and Room for Six Cymbals

Specs:
- Outside Diameter: 25" (635mm)
- Inside Diameter: 23" (584mm)
- Depth: 5" (127mm)
- Weight: 5.65 lbs (2.6 kg)

Adjustable shoulder and sternum straps.

Heavy-duty nylon handle, reinforced with triple stitching.

ENTERTAINMENT SKIRTS

Entertainment Skirts

Wrinkle-resistant, Durable, Fire-resistant Polyester Entertainment Skirts for Tables and Speaker Stands

Features:
- Highly wrinkle resistant
- Polyester material
- Wash in cold water gentle cycle, tumble dry
- Fire-resistant material

Pole & Tripod Sleeve (Black, Pair)
- Part Name: USDJ-PSB
- Part Number: 17409

Table Cover (Black, 4 ft.)
- Part Name: USDJ-4TCB
- Part Number: 17413
- 24" deep x 29" high

Table Cover (Black, 5 ft.)
- Part Name: USDJ-5TCB
- Part Number: 17415
- 30" deep x 29" high

Table Cover (Black, 6 ft.)
- Part Name: USDJ-6TCB
- Part Number: 17417
- 30" deep x 29" high

Table Cover (Black, 8 ft.)
- Part Name: USDJ-8TCB
- Part Name: 17419
- 30" deep x 29" high

Pole & Tripod Sleeve (White, Pair)
- Part Name: USDJ-PSW
- Part Number: 17410

Table Cover (White, 4 ft.)
- Part Name: USDJ-4TCW
- Part Number: 17414
- 24" deep x 29" high

Table Cover (White, 5 ft.)
- Part Name: USDJ-5TCW
- Part Number: 17416
- 30" deep x 29" high

Table Cover (White, 6 ft.)
- Part Name: USDJ-6TCW
- Part Name: 17418
- 30" deep x 29" high

Table Cover (White, 8 ft.)
- Part Name: USDJ-8TCW
- Part Name: 17420
- 30" deep x 29" high

Standard Audio Racks DuraCase Series

UR-12L, item #17525
ABS Case, Front/Rear Rails
12U 16.75" Deep

Specs:
• Body Material: ABS
• Rack Spaces: 12U
• Rackable Depth: 18.5" (470mm)
• Front-to-rear rack rail distance:
  16.5" (419mm)
• Height: 24" (610mm)
• Width: 22" (559mm)
• Depth: 22.5" (572mm)
• Weight: 19.1 lbs. (8.66 kg.)

UR-10L, item #17524
ABS Case, Front Rear/Rails
10U 16.75" Deep

Specs:
• Body Material: ABS
• Rack Spaces: 10U
• Rackable Depth: 18.5" (470mm)
• Front-to-rear rack rail distance:
  16.5" (419mm)
• Height: 20.75" (527mm)
• Width: 22" (559mm)
• Depth: 22.5" (572mm)
• Weight: 17.3 lbs. (7.85 kg.)

UR-8L, item #17523
ABS Case, Front/Rear Rails
8U 16.75" Deep

Specs:
• Body Material: ABS
• Rack Spaces: 8U
• Rackable Depth: 18.5" (470mm)
• Front-to-rear rack rail distance:
  16.5" (419mm)
• Height: 17.25" (438mm)
• Width: 22" (559mm)
• Depth: 22.5" (572mm)
• Weight: 15.55 lbs. (7.05 kg.)

UR-6L, item #17522
ABS Case, Front Rear/Rails
6U 16.75" Deep

Specs:
• Body Material: ABS
• Rack Spaces: 6U
• Rackable Depth: 18.5" (470mm)
• Front-to-rear rack rail distance:
  16.5" (419mm)
• Height: 13.75" (349mm)
• Width: 22" (559mm)
• Depth: 22.5" (572mm)
• Weight: 13.6 lbs. (6.17 kg.)

UR-4L, item #17521
ABS Case, Front Rear/Rails
4U 16.75" Deep

Specs:
• Body Material: ABS
• Rack Spaces: 4U
• Rackable Depth: 18.5" (470mm)
• Front-to-rear rack rail distance:
  16.5" (419mm)
• Height: 10.25" (260mm)
• Width: 22" (559mm)
• Depth: 22.5" (572mm)
• Weight: 12.1 lbs. (5.49 kg.)

UR-3L, item #17520
ABS Case, Front/Rear Rails
3U 16.75" deep

Specs:
• Body Material: ABS
• Rack Spaces: 3U
• Rackable Depth: 18.5" (470mm)
• Front-to-rear rack rail distance:
  16.5" (419mm)
• Height: 8.25" (210mm)
• Width: 22" (559mm)
• Depth: 22.5" (572mm)
• Weight: 10.01 lbs. (4.54 kg.)

UR-2L, item #17519
ABS Case, Front/Rear Rails
2U 16.75" deep

Specs:
• Body Material: ABS
• Rack Spaces: 2U
• Rackable Depth: 18.5" (470mm)
• Front-to-rear rack rail distance
  16.5" (419mm)
• Height: 6.5" (165mm)
• Width: 22" (559mm)
• Depth: 22.5" (572mm)
• Weight: 9.05 lbs. (4.12 kg.)

Rolling Audio Racks DuraCase Series

UR-12LTH, item #17530
ABS Case, Front/Rear Rails
12U (11U Usable) 16.75" deep
with Telescoping Handle and
Recessed Wheels

Specs:
• Body Material: ABS
• Rack Spaces: 12U (11U Useable)
• Rackable Depth: 18.5" (470mm)
• Front-to-rear rack rail distance:
  16.5" (419mm)
• Handle extension 18.75" (476mm)
• Height: 24" (610mm)
• Width: 22" (559mm)
• Depth: 22.5" (572mm)
• Weight: 22.45 lbs. (10.18 kg.)

UR-10LTH, item #17529
ABS Case, Front Rear/Rails
10U (9U Usable) 16.75" deep
with Telescoping Handle and
Recessed Wheels

Specs:
• Body Material: ABS
• Rack Spaces: 10U (9U Useable)
• Rackable Depth: 18.5" (470mm)
• Front-to-rear rack rail distance:
  16.5" (419mm)
• Handle extension 18.75" (476mm)
• Height: 20.5" (521mm)
• Width: 22" (559mm)
• Depth: 22.5" (572mm)
• Weight: 20.55 lbs. (9.32 kg.)

UR-8LTH, item #17528
ABS Case, Front Rear/Rails
8U (7U Usable) 16.75" deep
with Telescoping Handle and
Recessed Wheels

Specs:
• Body Material: ABS
• Rack Spaces: 8U (7U Useable)
• Rackable Depth: 18.5" (470mm)
• Front-to-rear rack rail distance:
  16.5" (419mm)
• Handle extension 18.75" (476mm)
• Height: 17" (432mm)
• Width: 22" (559mm)
• Depth: 22.5" (572mm)
• Weight: 19.5 lbs. (8.85 kg.)

UR-6LTH, item #17527
ABS Case, Front Rear/Rails
6U (5U Usable) 16.75" deep
with Telescoping Handle and
Recessed Wheels

Specs:
• Body Material: ABS
• Rack Spaces: 6U (5U Useable)
• Rackable Depth: 18.5" (470mm)
• Front-to-rear rack rail distance:
  16.5" (419mm)
• Handle extension 18.75" (476mm)
• Height: 13.75" (349mm)
• Width: 22" (559mm)
• Depth: 22.5" (572mm)
• Weight: 17.1 lbs. (7.76 kg.)

UR-4LTH, item #17526
ABS Case, Front Rear/Rails
4U (3U Usable) 16.75" deep
with Telescoping Handle and
Recessed Wheels

Specs:
• Body Material: ABS
• Rack Spaces: 4U (3U Useable)
• Rackable Depth: 18.5" (470mm)
• Front-to-rear rack rail distance:
  16.5" (419mm)
• Handle extension 18.75" (476mm)
• Height: 10" (254mm)
• Width: 22" (559mm)
• Depth: 22.5" (572mm)
• Weight: 14.45 lbs. (6.55 kg.)

Mixer Rack DuraCase Series

USL-12, item #17531
ABS Pop-Up Mixer Rack 12U

Specs:
• Body Material: ABS
• Rack Spaces: 12U
• Rackable Depth, closed/retracted: 4.5" (114mm)
• Rackable Depth, extended: variable
• Height (closed): 9.5" (241mm)
• Height (fully extended): 21.5" (546mm)
• Width: 21.25" (540mm)
• Depth: 25.25" (641mm)
• Weight: 14.1 lbs. (6.4 kg.)

LIGHTING TREE *LT Series*

LT-99B, item #17347

LT Series Multi-tiered, Heavy-duty, Extra Tall
Lighting Tree & TeleLock® Lift-assist Technology

Specs:
• Included Components:
 - TS-99B Aluminum Tripod Stand
 - LTV-24B 24" Vertical Extension
 - LTB-48B 48" T-style Lighting Crossbar
 - LTB-24B 24" Lighting Sidebars (Qnty: 2)
• Base Diameter: 62" (1575mm)
• Height: 7' 2" to 11' 2"
 (2184mm to 3406mm)
• Weight: 19.6 lbs. (8 kg)
• Telescoping Tube Diameter: 1.5" (38mm)
• Load Capacity: 150 lbs. (68.2 kg)

LTB-48B
T-style
Lighting
Crossbar

LTV-24B
Vertical
Extension

LTB-24B
Lighting
Sidebars

TeleLock®
Mechanism

LT-99BL, item #17387

LT Series Multi-tiered, Heavy-duty, Extra Tall Lighting
Tree & Leveling Leg with TeleLock® Lift-assist Technology

Specs:
• Included Components:
 - TS-99BL Tripod Stand w/Leveling Leg
 - LTV-24B 24" Vertical Extension
 - LTB-48B 48" T-style Lighting Crossbar
 - LTB-24B 24" Lighting Sidebars (Qnty: 2)
 - Bag-99D Carrying Bag
• Base Diameter: 62" (1575mm)
• Height: 7' 2" to 11' 2" (2184mm to 3406mm)
• Weight: 19.6 lbs. (8 kg)
• Telescoping Tube Diameter: 1.5" (38mm)
• Load Capacity: 150 lbs. (68.2 kg)

Leveling leg
for placement on
uneven surfaces,
risers, or stairs.

FREE Bag included with the LT-99BL!!!

LIGHTING TREE *LT Series (Cont'd)*

LT-88B, item #17343

LT Series Multi-tiered, Heavy-duty, Extra
Tall Lighting Tree with Patented Aluminum
Tripod Stand

Specs:
• Included Components:
 - TS-88B Aluminum Tripod Stand
 - LTV-24B 24" Vertical Extension
 - LTB-48B 48" T-style Lighting Crossbar
 - LTB-24B 24" Lighting Sidebars (Qnty: 2)
• Base Diameter: 62" (1575mm)
• Height: 7' 2" to 11' 2" (2184mm to 3406mm)
• Weight: 17.6 lbs (8 kg)
• Telescoping Tube Diameter: 1.5" (38mm)
• Load Capacity: 150 lbs. (68.2 kg)

Super strong height
adjustment collar.

Lighting Tree *Accessories*

LTB-48B, item #14107
T-style 48" Lighting Crossbar For Use on Ultimate
Support TS Tripod Speaker Stands or LTV-24B
Vertical Extension

LTV-24B, item #14108
24" Vertical Extension for
Adding Additional Height to
TS Tripod Speaker Stands

LTB-24B, item #14106
Two 24" Lighting Sidebars For Use on Ultimate
Support TS Tripod Speaker Stands or LTV-24B
Vertical Extension

Call Us Today to Learn How We Can Help You Get More For Less!

Our in-house team of Sales Account Managers will help you build your order and show you how to maximize dollars by taking advantage of programs that save you money. Call us today!

Q: How do I place an order?
*A: Call us directly at **1-800-525-5628**, or call your local representative.*

Q: How do I become an Ultimate Support dealer?
A: There are a number of great reasons to be an Ultimate Support dealer, and we make it as easy as possible to do so. Call us to discover the details.

Q: Do I have a local rep?
A: Yes! Call us directly and we'll let you know who represents Ultimate Support in your part of the country.

Q: Who do I call if I have a service or warranty issue?
*A: You can call us at **1-800-525-5628**, or email us at: customerservice@ultimatesupport.com and we'll take care of you!*

Q: What is your warranty?
A: We offer a Limited Lifetime Warranty on all Ultimate Support products and a 3-Year Warranty on JamStands products!

Q: Do you offer freight programs?
A: We sure do! Contact us and we'll share the details with you.

Q: How do I get a better price?
A: The Ultimate Edge Pricing Program is designed to save you money as you purchase more products. Call us to find out more.

Q: Do I have to order in carton quantities?
A: We do not have master pack, or carton, quantity minimums for Ultimate Support products. There are minimums for JamStands products.

Q: How do I pay? Do you accept credit cards?
A: We offer open terms, COD, and GE Capital for qualifying dealers. We also accept Visa and MasterCard.

Q; Are you able you drop ship?
A: Yes! And, as long the order meets minimum standards ($50), there are no additional fees.

Ultimate
FREE-FREIGHT
Program

Limited
LIFETIME WARRANTY

SAVE
Ultimate
EDGE PRICING
Program

Toll-Free
DEALER SUPPORT

www.facebook.com/Ultimate.Support

www.youtube.com/UltimateSupport

ULTIMATE SUPPORT

2015 Product Catalog

Ultimate Support
5836 Wright Drive
Loveland, CO 80538

P. 800.525.5628
F. 970.776.1941
www.ultimatesupport.com

ULTIMATE SUPPORT™
LIMITED LIFETIME WARRANTY